


g 1
R'₃ is methyl and R' is phenyl or 4-fluoro-phenyl, iiiiii) X' = -CH₂-CH₂-, Y' is oxygen,
R'₁ is o-chloro, R_{2a}' and R_{2b}' are hydrogen, R'₃ is methyl and R' is phenyl or iiiiii) X' is
a covalent bond and Y' is oxygen, iiiiii) Y' is sulfur, R'₂ is o-chlorine, R_{2a}' and R_{2b}' are
hydrogen, R'₃ is methyl and R' is 4-hydroxy-phenyl.

REMARKS

The amendment is submitted to correct minor errors in claim 11.

Respectfully submitted,
Muserlian, Lucas and Mercanti


Charles A. Muserlian, 19,683
Attorney for Applicants
Tel. # (212) 661-8000

CAM:ds
Enclosure

FACSIMILE TRANSMISSION

I hereby certify that this paper is being facsimile transmitted to the Patent and
Trademark Office on the date shown below.

Date: March 24, 2003


Charles A. Muserlian

MARKED UP VERSION OF CLAIM 11 SHOWING CHANGES MADE

II

wherein W' is hydrogen or $-C(Y')-X'-R'$, R' is selected from the group consisting of phenyl, naphthyl, indolyl and pyridyl, all unsubstituted or substituted with at least one member of the group consisting of methyl, ethyl, propyl, isopropyl, butyl, tert-butyl, methoxy, ethoxy, methylthio, ethylthio, methoxycarbonyl, ethoxycarbonyl, methylsulfonyl, ethylsulfonyl, chlorine, fluorine, bromine, trifluoromethyl, trifluoromethoxy, $-OH$, $-NO_2$, $[-CH_2]$, $-\underline{CN}$ phenyl, phenoxy and morpholino, X' is selected from the group consisting of $-CH_2-$, $-CH_2-CH_2-$, $-CH_2NH-$, $-NH-$, $-O-$, $-S-$ and a covalent bond, Y' is oxygen or sulfur, R'₁ is at least one member of the group consisting of hydrogen, chlorine, methyl and methoxy, R'_{2a} and R'_{2b} are individually hydrogen or methyl, excluding the compounds of Formula II wherein a W' is hydrogen, R'₁ is o-chlorine, R'_{2a} is hydrogen and R'_{2b} is hydrogen or methyl and R'₃ is methyl and b) wherein W' is $-C(Y')-X'-R'$ and i) X' is $-NH-$, Y' is oxygen, R'₁ is o-chlorine, R'_{2a} and R'_{2b} are hydrogen, R'₃ is methyl and R' is selected from the group consisting of 4-

tert.butyl-phenyl, 4-trifluoromethyl-phenyl, 4-hydroxy-phenyl, 4-methoxy-phenyl, 3,4,5-trimethoxy-phenyl, 2,3-dichloro-phenyl, 2,4-difluoro-phenyl, 4-phenoxy-phenyl, pyridinyl and cyanophenyl or ii) X' is -NH-, Y' is sulfur, R'₁ is o-chloro, R_{2a}' and R_{2b}' are hydrogen, R'₃ is methyl and R' is selected from the group consisting of 4-tert.butyl-phenyl, 2,4-ditert.butyl-phenyl, 2-trifluoromethyl-phenyl, 3-trifluoromethyl-phenyl, 4-trifluoromethyl-phenyl, 4-methoxy-phenyl, 3,4,5-trimethoxy-phenyl, 4-fluoro-phenyl and 4-methylsulfonyl-phenyl or iii) X' is -CH₂-NH-, Y is oxygen, R'₁ is o-chlorine, R_{2a}' and R_{2b}' are hydrogen, R'₃ is methyl and R' is phenyl, or iiiii) X' is oxygen, Y' is oxygen, R'₁ is o-chlorine, R_{2a}' and R_{2b}' are hydrogen, R'₃ is methyl and R' is pyridyl or cyanophenyl or iiiiii) X' is CH₂-CH₂-, Y is oxygen, R'₁ is o-chlorine and R_{2a}' and R_{2b}' are hydrogen, R'₃ is methyl and R' is phenyl or 4-fluoro-phenyl, iiiiii) X'=[is] -CH₂-CH₂-, Y' is oxygen, R'₁ is o-chloro, R_{2a}' and R_{2b}' are hydrogen, R'₃ is methyl and R' is phenyl or iiiiii) X' is a covalent bond and Y' is oxygen, iiiiii) Y' is sulfur, R'₂ is o-chlorine, R_{2a}' and R_{2b}' are hydrogen, R'₃ is methyl and [R¹] R' is 4-hydroxy-phenyl.